19

Capies to Fee

MEMORANDUM FOR: Deputy Director (Support)

APR 1 6 1956

25X1A6d

SUBJECT:


Air Conditioning Equipment for Electronic Labora-

25X1A6d

1. This memorandum contains a recommendation submitted for DD/S approval in conjunction with air conditioning for the Technical Services Staff in Such recommendation is contained in paragraph 6.

25X1A

- 2. Supplementary air conditioning for Room B-8, has been requested by the TSS/Administrative Officer. The requirement is based on the necessity for compensating the increased heatload occasioned by the installation of heat generating laboratory equipment.
- 3. Room B-8, comprising approximately 1,633 sq. ft., was originally planned for use as office space. The design of the air conditioning system was planned at a normal rate of one ton for each 400 sq. ft. with an air velocity of 300 C.F.M.
- 4. Pursuant to building occupancy in July 1955, 19 kilowatts or electrical power were added to Room B-8 by the installation of sensitive electronic testing equipment. A major portion of this power is dissipated in heat at the rate of 60,000 BTU's per hour. Excessive temperatures and humidity materially affect components of the sound equipment such as condensers, resistors, oscillator coils, and motors. Two tape recording motors and two transformers have been replaced since August 1955. Quantities of recording disks and tape, considered perishable items, have been rendered useless by temperatures exceeding 76 degrees.
- 5. Augmentation of existing air conditioning facilities by the addition of a five-ton unit will appropriately remedy this situation.
- In view of the conditions cited above, it is believed the procurement of the proposed unit is in agreement with existing public



Approved For Release 2001/08/09 : CIA-RDP78-04908A000100010013-6

laws. It is therefore recommended that approval be given to the expenditure of vouchered funds in the amount of \$2,500 for this purpose.

25X1A9a

Acting Director of Logistics

CONCURRENCES:

25X1A9a



19 Whit 956

23 gail 1956

The recommendation contained in paragraph 6 is approved.

14 Ofini 6%

Deputy Director (Support)

25X1A9a

Distribution:

0 - Comptroller V

2 - DD/S

1 - OL Files

1 - General Counsel

1 - RE&C/OL w/have

2 - OL/RE&CD/SM&F

1 - Signer

OL/RE&C/SM&F/

(13 April 56)

25X1A9a

ROUTING AND RECORD SHEET

INSTRUCTIONS: Officer designations should be used in the "TO" column. Under each comment a line should be drawn across sheet and each comment numbered to correspond with the number in the "TO" column. Each officer should initial (check mark insufficient) before further routing. This Routing and Record Sheet should be returned to Registry.

FROM: Office of Logistics 1C-46 Qtrs. Eye				TELEPHONE	NO	
то	ROOM NO. REC	DATE FWD'D	OFFICER'S INITIALS	TELEPHONE		
Comptroller	14/1	hil guh	1941		For Concurrence	
2.	7.2		02			
General Counsel	22		00		For Concurrence	
DD/S 5.	939	10 24 of	28M		For Approvel	
6. Comptroller	ma	w / May	82/			
7.	V Ning	V May S	m			
		17 may	1) 1 8 n	*	25X1	ΙΔΟ:
			6w H		20//	7101
		ZIMAY	0-WH			
3.						
4.						
5.					UL 5 2315	

FORM NO. 610 REPLACES FORM 51-10 WHICH MAY BE USED.

SECRET

CONFIDENTIAL

UNCLASSIFIED